




Freccia 15 is available in both cable and battery versions.







# New look, ergonomics, compact dimensions

Freccia 15, with its new aesthetic and technical innovations represents a relevant news in the small size scrubber-dryers market.

First of all the readically new design gives to Freccia 15 the right ergonomics and appeal.

Then a perfect mix of solutions - the 15l capacity, the adjustable head, the practical external wheel, the innovative squeegee system with pedal lifting – which make Freccia 15 a point of reference in its segment and the ideal solution for small medium area.



The solution tank can be quickly filled thanks to the wide filling port and the practical filling hose



The front knob makes the brush head easy adjustable ...



Ergonomic and completely adjustable, the new handle ensures an easy manoeuvrability and control



... while the practical external wheel allows the user to adjust it in height, making Freccia 15 perfectly suitable for any kind of floor



Three separate buttons; for an easy

management of all the main working

Real compact dimensions make the machine ideal for cleaning in "narrow" areas





### Freccia 15 in detail

New look, compact dimensions and innovative functionalities make Freccia 15 the best and most suitable solution for any type of environment:

High impact design (and compact size): new and attractive shapes and slim size. To clean hard to reach areas and where the other scrubbers have usually no access

New handle: completely ergonomic and adjustable, it guarantees in any condition a perfect control of Freccia 15 and of its working functions

New adjustable brush head and external wheel allow Freccia 15 to adapt itself to every type of environment and surface (even the toughest ones), without "stressing" the motor. Maximum reliability and top cleaning performances.

New squeegee system: now even more innovative and reliable, thanks to the pedal lifting system, the Freccia 15 squeegee perfectly covers the water track in any condition and guarantees remarkable drying results

XFC "pure lead" batteries: guarantee up to 2 hours running time (and only 1,5 hour of charging time)

STANDARD ACCESSORIES	Code	Model
Polipropylene brush (0.9)	40.0108.00	
Filling hose	30.0024.00	
Front PU squeegee blade	39.0070.00	
Rear PU squeegee blade	39.0071.00	
On board charger (Shuko plug 220-240V)	18.0032.00	Freccia 15 BC
Battery set (2 pcs ) gel 25 Ah	18.0017.00	Freccia 15 BC
External charger (Shuko plug IP44 220-240 VAC)	18.0029.00	Freccia 15 Long Run
Battery set (2 pcs ) XFC 12V 35 Ah Gel	18.0030.00	Freccia 15 Long Run



Compact squeegee: immediately behind the brush, able to curve up to 270°, so completely covering the cleaning path (even on sharp curves); for perfect drying results



New squeegee pedal lifting system; even Recovery tank: easy to clean ... more practical and reliable





... it can be easily removed as well, to transport, empty and clean it without any effort



The XFC batteries special (standard in the Long Run version) guarantee up 2 hours of running time



Standard on-board battery charger; for a quick recharge of the machine at any convenient location







## Freccia 15 at a glance

#### Recovery tank cover easily to remove. Easy access to the recovery tank

Filing port

to quicly fill the solution tank, even thanks to the standard filling hose

#### Front head and knob

385 mm cleaning width, the head angle can be easily adjusted thanks to the front knob

#### **External wheel**

to easily adjust the brush head. It assures the correct floor pressure and it avoids motor overchargers



#### **Ergonomic**

and completely adjustable without any effort, with integrated working functions

#### **Tanks**

Polyethylene tanks: maximum reliability and resistance against crack and dents

#### **Drain hose**

to quickly empty the recovery tank

#### Squeegee

the movable squeegee perfectly follows the machine in all its movement. The blades can be easily removed/cleaned/changed without tools

TECHNICAL DATA											
	Code	Power supply	Tank capacity (sol/rec)	Cleaning width <b>mm</b>	Squeege width <b>mm</b>	Rated power <b>W</b>	Productivity (theor./practical) <b>m</b> <sup>2</sup> / <b>h</b>	Running time <b>h</b>	Noise level db(A)	Weight <b>kg</b>	Dimensions (I x w x h) <b>mm</b>
FRECCIA 15 E 38	10.0060.00	Cable 230 V 50Hz	15/21	385	450	620	1540/770	-	65	40	800x400x1100
FRECCIA 15 M 38 BC	13.0050.00	Battery 24V	15/21	385	450	510	1540/920	1	65	40	800x400x1100
FRECCIA 15 M 38 BC Long Run	13.0070.00	Battery 24V	15/21	385	450	510	1540/920	2	65	40	800x400x1100





